

Description of requested change:

The specification of the following message fields will be changed from 14,5 to 18,2 characters:

camt.004

RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/MulBal/Amt

camt.052

BkToCstmrAcctRpt/Rpt/Bal/Amt

BkToCstmrAcctRpt/Rpt/TxsSummry/TtlNtriesPerBkTxCd/Sum

camt.053

BkToCstmrStmnt/Stmnt/Bal/Amt

BkToCstmrStmnt/Stmnt/Ntry/Amt

BkToCstmrStmnt/Stmnt/Ntry/NtryDtIs/TxDtIs/Amt

In addition, certain error messages used at Interface level will be made more generic in order to be used jointly by T2S and the new Common Component interfaces.

Submitted annexes / related documents:

Outcome/Decisions:

- * CRG on 26 May 2020: CRG members agreed to launch the preliminary assessment of CR-734.
- * CRG on 7 September 2020: The CRG recommended CR-734 for authorisation by the T2S Steering Level.
- * AMI-SeCo on 14 September 2020: The AMI-SeCo agreed with the recommendation of the CRG to authorise the CR.
- * CSG on 14 September 2020: The CSG agreed to authorise the CR.
- * NECSG on 14 September 2020: The NECSG agreed to authorise the CR.
- * PMG on 25 September 2020: the PMG agreed to launch the detailed assessment of CR-734 in view of R5.2.
- * MIB on 03 November 2020: the MIB agreed to authorise CR-734.
- * CRG on 17 December 2020: the CRG recommended to the PMG the implementation of CR-734 in release 6.2.
- * OMG on 17 December 2020: the OMG identified an operational impact for CR-734.
- * PMG on 18 December 2020: the PMG recommended the inclusion of CR-734 in STP for R6.2 for approval by the Steering Level.
- * CSG on 7 January 2021: the CSG approved the inclusion of CR-734 in STP for R6.2.
- * NECSG on 7 January 2021: the NECSG approved the inclusion of CR-734 in STP for R6.2.
- * MIB on 27 January 2021: the MIB approved the inclusion of CR-734 in STP for R6.2.
- * CSG on 27 October 2022: the CSG approved the de-scoping of CR-734 from the scope R6.2 and its inclusion within a hotfix release within the T2-T2S consolidation go-live date on 18 March 2023.
- * MIB on 27 October 2022: the MIB approved the de-scoping of CR-734 from the scope R6.2 and its inclusion within a hotfix release within the T2-T2S consolidation go-live date on 18 March 2023.

Documentation to be updated: **Impact on message documentation on MyStandards / schema:**

Update of the datatype of the following message fields to totalDigits = 18 and fractionDigits = 2

camt.004.001.08

- RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/MulBal/Amt

camt.052.001.08

- BkToCstmrAcctRpt/Rpt/Bal/Amt
- BkToCstmrAcctRpt/Rpt/TxsSummary/TtlNtriesPerBkTxCd/Sum

camt.053.001.08

- BkToCstmrStmt/Stmt/Bal/Amt
- BkToCstmrStmt/Stmt/Ntry/Amt
- BkToCstmrStmt/Stmt/Ntry/NtryDtls/TxDtls/Amt

Impact on UDFS/UHB business rules:

Certain error messages will be shared between T2S INTF and the new CSLD Common Component business interfaces. Some of these error messages, containing references to T2S, will be amended in order to make them more generic, as already done for some back-end error messages.

	T2S Error Text	CSLD Error Text
IIMS001	The received single message type is not known in T2S.	The received single message type is not known.
ICSA002	The T2S System User is not known in T2S.	The System User is not known.
ICSA003	The T2S System User is blocked due to lockout.	The System User is blocked due to lockout.
ICSA004	The Technical Sending User is not known for T2S.	The Technical Sending User is not known.
ICSA011	The Business Sending User is not known in T2S.	The Business Sending User is not known.
QMPQ001	The T2S System User has not the privilege to initiate such a request for the specified object.	The System User has not the privilege to initiate such a request for the specified object.
QMPQ002	The T2S System User has not the privilege to initiate such a request.	The System User has not the privilege to initiate such a request.
IICP001	The T2S System User is not authorised to initiate such request due to missing privilege.	The System User is not authorised to initiate such request due to missing privilege.
IIMP120	T2S is not allowed as Instructing Party	Service not allowed as Instructing Party

UDFS

3.2.1.6.5 Scenario 5: Business validation derived from a general rule in T2S triggering an error message

This situation generally occurs when an instruction infringes an established rule, independently of the correctness of the inbound message validation.

Cf. for instance to business rule QMPQ001:

“A T2S system user must have the appropriate privilege for the specified object to be permitted to query the requested information.”

For example, a message camt.064 (LimitUtilisationJournalQuery) is sent to T2S to query the journal on

the usage of the limits for an account for which the sender does not hold sufficient privilege. T2S answers with a message camt.065 (LimitUtilisationJournalReport) containing the reason code Q087 mentioning the insufficient privilege.

In this case, the business rule refers in general to all inbound messages and their respective outbound message. The information is presented as follows into the appendix:

BUSINESS RULE ID	BUSINESS RULE DESCRIPTION	INBOUND MESSAGE	OUTBOUND MESSAGE	STATUS	REASON CODE	ERROR INFORMATION
QMPQ001	A T2S system user must have the appropriate privilege for the specified object to be permitted to query the requested information.	Any query message	All respective outbound messages	n/a	Q087	The T2S System User has not the privilege to initiate such a request for the specified object.

3.2.1.6.7 Scenario 7: Business validation applicable to the BAH regardless of the payload message

Upon receipt of any payload message, the characteristics of the Business Application Header of the business message are verified according to the defined validation.

Cf. for instance to business rule IIMS001:

"A message type has to be supported. by T2S."

For example, a message type not supported by T2S is sent to the system which answers with a message admi.007 mentioning that the message is unknown to T2S.

In this case, the information about the business rule is presented as follows into the appendix:

BUSINESS RULE ID	BUSINESS RULE DESCRIPTION	INBOUND MESSAGE	OUTBOUND MESSAGE	STATUS	REASON CODE	ERROR INFORMATION
IIMS001	A message type has to be supported by T2S.	head.001	admi.007	n/a	I005	The received single message type is not known in T2S.

4.1 Index of Business Rules and Error Codes

BR NAME	DESCRIPTION	INBOUND MESSAGE	REPLY MESSAGE	CODE USE	REASON CODE	ERROR TEXT
...

BR NAME	DESCRIPTION	INBOUND MESSAGE	REPLY MESSAGE	CODE USE	REASON CODE	ERROR TEXT
ICSA002	The T2S -System User sending the inbound A2A communication has to be known in T2S .	head.001	admi.007		I008	The T2S -System User is not known in T2S .
ICSA002	The T2S -System User sending the inbound A2A communication has to be known in T2S .	head.002	admi.007		I008	The T2S -System User is not known in T2S .
...						
ICSA003	The T2S -System User sending the inbound A2A communication must not be locked.	head.001	admi.007		I009	The T2S -System User is blocked due to lockout.
ICSA003	The T2S -System User sending the inbound A2A communication must not be locked.	head.002	admi.007		I009	The T2S -System User is blocked due to lockout.
ICSA004	The Technical Sending User (Party Technical Address) which was used for sending the inbound A2A communication has to be known in T2S .	head.001	admi.007		I018	The Technical Sending User is not known for T2S .
ICSA004	The Technical Sending User (Party Technical Address) which was used for sending the inbound A2A communication has to be known in T2S .	head.002	admi.007		I018	The Technical Sending User is not known for T2S .
...						
ICSA011	The Business Sending User has to be known in T2S .	head.001	admi.007		I072	The Business Sending User is not known in T2S .
ICSA011	The Business Sending User has to be known in T2S .	head.002	admi.007		I072	The Business Sending User is not known in T2S .
...						
IICP001	A T2S -System User must have the appropriate privilege to be authorised for an intended request. The check only includes generic authorisation for the requested action on system level. The check for the data scope including object level is processed in the backend modules.	head.001	respective outbound business message for received inbound message except for		I007	The T2S -System User is not authorised to initiate such request due to missing privilege.

BR NAME	DESCRIPTION	INBOUND MESSAGE	REPLY MESSAGE	CODE USE	REASON CODE	ERROR TEXT
IICP001	A T2S-System User must have the appropriate privilege to be authorised for an intended request. The check only includes generic authorisation for the requested action on system level. The check for the data scope including object level is processed in the backend modules.	head.001	the messages which are explicitly listed camt.073	<RJCTD >	OTHR	The T2S-System User is not authorised to initiate such request due to missing privilege.
IICP001	A T2S-System User must have the appropriate privilege to be authorised for an intended request. The check only includes generic authorisation for the requested action on system level. The check for the data scope including object level is processed in the backend modules.	head.001	sese.022	<RJCTD >	OTHR	The T2S-System User is not authorised to initiate such request due to missing privilege.
IICP001	A T2S System User must have the appropriate privilege to be authorised for an intended request. The check only includes generic authorisation for the requested action on system level. The check for the data scope including object level is processed in the backend modules.	head.001	camt.067	<RJCTD >	OTHR	The T2S System User is not authorised to initiate such request due to missing privilege.
IICP001	A T2S System User must have the appropriate privilege to be authorised for an intended request. The check only includes generic authorisation for the requested action on system level. The check for the data scope including object level is processed in the backend modules.	head.001	camt.075	<RJCTD >	OTHR	The T2S-System User is not authorised to initiate such request due to missing privilege.
IICP001	A T2S System User must have the appropriate privilege to be authorised for an intended request. The check only includes generic authorisation for the requested action on	head.001	semt.014	<RJCTD >	OTHR	The T2S System User is not authorised to initiate such request due to missing

BR NAME	DESCRIPTION	INBOUND MESSAGE	REPLY MESSAGE	CODE USE	REASON CODE	ERROR TEXT
	system level. The check for the data scope including object level is processed in the backend modules.					privilege.
IICP001	A T2S System User must have the appropriate privilege to be authorised for an intended request. The check only includes generic authorisation for the requested action on system level. The check for the data scope including object level is processed in the backend modules.	head.001	sese.024	<RJCTD >	OTHR	The T2S System User is not authorised to initiate such request due to missing privilege.
IICP001	A T2S System User must have the appropriate privilege to be authorised for an intended request. The check only includes generic authorisation for the requested action on system level. The check for the data scope including object level is processed in the backend modules.	head.001	sese.027	<RJCTD >	OTHR	The T2S-System User is not authorised to initiate such request due to missing privilege.
IICP001	A T2S System User must have the appropriate privilege to be authorised for an intended request. The check only includes generic authorisation for the requested action on system level. The check for the data scope including object level is processed in the backend modules.	head.001	sese.031	<RJCTD >	OTHR	The T2S System User is not authorised to initiate such request due to missing privilege.
...						
IIMP120	In an incoming message, T2S Service BIC cannot be informed in the BIC and Parent BIC simultaneously within the 'From' block.	head.001	respective outbound business message for received inbound message except for the messages which are explicitly		I069	T2S Service is not allowed as Instructing Party

BR NAME	DESCRIPTION	INBOUND MESSAGE	REPLY MESSAGE	CODE USE	REASON CODE	ERROR TEXT
			listed			
IIMP120	In an incoming message, <u>T2S Service</u> BIC cannot be informed in the BIC and Parent BIC simultaneously within the 'From' block.	head.001	camt.073	<RJCTD	OTHR	<u>T2S Service</u> is not allowed as Instructing Party
IIMP120	In an incoming message, <u>T2S Service</u> BIC cannot be informed in the BIC and Parent BIC simultaneously within the 'From' block.	head.001	sese.022	<RJCTD	OTHR	<u>T2S Service</u> is not allowed as Instructing Party
IIMP120	In an incoming message, <u>T2S Service</u> BIC cannot be informed in the BIC and Parent BIC simultaneously within the 'From' block.	head.001	camt.067	<RJCTD	OTHR	<u>T2S Service</u> is not allowed as Instructing Party
IIMP120	In an incoming message, <u>T2S Service</u> BIC cannot be informed in the BIC and Parent BIC simultaneously within the 'From' block.	head.001	camt.075	<RJCTD	OTHR	<u>T2S Service</u> is not allowed as Instructing Party
IIMP120	In an incoming message, <u>T2S Service</u> BIC cannot be informed in the BIC and Parent BIC simultaneously within the 'From' block.	head.001	semt.014	<RJCTD	OTHR	<u>T2S Service</u> is not allowed as Instructing Party
IIMP120	In an incoming message, <u>T2S Service</u> BIC cannot be informed in the BIC and Parent BIC simultaneously within the 'From' block.	head.001	sese.024	<RJCTD	OTHR	<u>T2S Service</u> is not allowed as Instructing Party
IIMP120	In an incoming message, <u>T2S Service</u> BIC cannot be informed in the BIC and Parent BIC simultaneously within the 'From' block.	head.001	sese.027	<RJCTD	OTHR	<u>T2S Service</u> is not allowed as Instructing Party
IIMP120	In an incoming message, <u>T2S Service</u> BIC cannot be informed in the BIC and Parent BIC simultaneously within the 'From' block.	head.001	sese.031	<RJCTD	OTHR	<u>T2S Service</u> is not allowed as Instructing Party
...						
IIMS001	A message type has to be supported by T2S .	head.001	admi.007		I005	The received single message type is not known in T2S .
...						
QMPQ001	A T2S -system user must have the appropriate privilege for the specified object to be	any query message	any query response		Q087	The T2S -System User has not the privilege to

BR NAME	DESCRIPTION	INBOUND MESSAGE	REPLY MESSAGE	CODE USE	REASON CODE	ERROR TEXT
QMPQ002	permitted to query the requested information. A T2S system user must have the appropriate privilege for at least one object to be permitted to query the requested information	any query message	any query response message		Q088	initiate such a request for the specified object. The T2S System User has not the privilege to initiate such a request.

UHB

6.4.2.1 All

Reference for error message	Field or Button	Error Text	Description
...			
IICP001		The T2S system user is not authorised to initiate such request due to missing privilege.	A T2S-system user must have the appropriate privilege to be authorised for an intended request. The check only includes generic authorisation for the requested action at system level. The check for the data scope including object level is processed in the backend modules.

6.4.2.2 All Screens which allow the initiation of a query

Reference for error message	Field or Button	Error Text	Description
QMPQ001		The T2S System User has not the privilege to initiate such a request for the specified object.	A T2S-system user must have the appropriate privilege for the specified object to be permitted to query the requested information.
QMPQ002		The T2S System User has not the privilege to initiate such a request.	A-T2S system user must have the appropriate privilege for at least one object to be permitted to query the requested information.

Preliminary assessment:

- **Financial impact:** No cost impact on T2S
- **Impacted modules:** INTF (MSG), QUM, LTSI/LEA (DWH), LQMG
- **Findings:**
 - Currently LQMG composes the flow to generate the Floor/Ceiling notification using the information that is notified from SETT. This composition would require a revision and possibly the application of additional checks to ensure that the format of the amount value is expressed in format 18,2
- **Open issues:**
 - none

Detailed assessment:

EUROSYSTEM ANALYSIS – GENERAL INFORMATION

T2S Specific Components		Common Components
LCMM		
	Instructions validation	
	Status management	
	Instruction matching	
	Instructions maintenance	
	Penalty Mechanism	
Settlement		
	Standardisation and preparation to settlement	
	Night-time Settlement	
	Daytime Recycling and optimisation	
	Daytime Validation, provisioning & booking	
	Auto-collateralisation	
Liquidity Management		
x	Outbound Information Management	

	NCB Business Procedures	
	Liquidity Operations	
T2S Interface (as of June 2022 without Static Data Management, Communication for SDMG, Scheduler, Billing)		
x	Communication	
	Outbound Processing	
x	Inbound Processing	
Static Data Management (until June 2022)		Common Reference Data Management (from R6.0 June 2022)
	Party data management	Party data management
	Securities data management	Securities data management
	Cash account data management	Cash account data management
	Securities account data management	Securities account data management
	Rules and parameters data management	Rules and parameters data management
Statistics and archive		Statistics and archive
	Statistical information (until June 2022)	Short term statistical information
	Legal archiving (until June 2022)	Legal archiving (from R6.0)
		Data Warehouse (from R6.0)
Information (until June 2022 containing reference data)		CRDM business interface (from R6.0 June 2022)
x	Report management	Report management
x	Query management	Query management
		Communication
		Outbound Processing
		Inbound Processing
Operational Services		
	Data Migration (T2S DMT)	Data Migration (CRDM DMT, from R6.0)
	Scheduling (until June 2022)	Business Day Management (from R6.0)
		Business Day Management business interface (from R6.0)
	Billing (until June 2022)	Billing (from R6.0)
		Billing business interface (from R6.0)
	Operational Monitoring	Operational and Business Monitoring
	OMEGA Templates	

Impact on major documentation		
Document	Chapter	Change
Impacted GFS chapter		
Impacted UDFS chapter	QUM: 3.2.1.6.5 Scenario 5: Business validation derived from a general rule in T2S triggering an error message	Update of the BR text
	3.2.1.6.7 Scenario 7: Business validation applicable to the BAH regardless of the payload message	Update of BR text
	4.1 Index of Business Rules and Error Codes	Update of BRs
Additional deliveries for	Message documentation for camt.004, camt.052 and camt.053	Update of the schema Upload to MyStandards

Message Specification		
UHB	6.4.2.1 All 6.4.2.2 All Screens which allow the initiation of a query	Update IICP001 Change the Business Rules QMPQ001 and QMPQ 002
Other documentations		
Links with other requests		
Links	Reference	Title

OVERVIEW OF THE IMPACT OF THE REQUEST ON THE T2S SYSTEM AND ON THE PROJECT

Summary of functional, development, infrastructure and migration impacts

Change the Amount fields for the affected Query responses from 14,5 to 18,2 characters. The affected Query responses are:

- T2S Dedicated Cash Account Balance Query
- Cash Forecast Query
- Outstanding Auto-Collateralisation Credit Query
- T2S Overall Liquidity Query

Change also the Amount fields for Current and Following Day Cash Forecast Report as well as Statement of Accounts.

The above named business rule error text needs to be updated.

Main Cost Driver: Adjustment of the format in the impacted message fields and the implementation of the new business rule texts

Impact on other TARGET Services and projects

No impact on CSLD project.
 No impact on ECMS.
 No impact on TIPS.
 No impact on TARGET2 as long as CR is not implemented before T2S Release 6.2

Summary of project risk

Security analysis

No potentially adverse effect was identified during the security assessment.